

通用型混合碳带 (General mixed carbon belt)

YS-220G



YS-220G是一款通用经济型混合基热转印碳带。其具有，耐刮性好和打印黑度优秀，较强的标签耐污、不脏纸性能广泛应用于电子、文教、仓储物流、资产管理等领域；采用了独有的多组份背涂技术，高均度薄膜，有效的降低了打印噪音并保护用户打印头。(YS-220G is a general economy hybrid based heat transfer carbon belt. It has good scratch resistance and good printing blackness, strong label anti-fouling, non-dirty paper performance is widely used in electronics, culture and education, warehousing logistics, asset management and other fields; using a unique multi-component back coating technology, high-average film, effectively reduce the printing noise and protect the user printing head.)

产品特性 (Product features)

- 标签耐污性 (Label resistance)
- 印迹清晰，光泽度好，高黑高亮 (Clear imprint, good gloss, high black highlight)
- 低噪音 (Low noise)
- 多组份背涂技术及高均度低膜，有效保护打印头 (Multi-component back coating technology and high average film, effective protection of printing head)

推荐介质 (Recommended media)

- 铜版纸 (chrome paper)
- 涂层纸、吊牌 (overlay、drop)
- 粗糙纸 (Rough paper)
- PP及其它类合成纸 (PP and other synthetic paper)



碳带技术参数 (Technical parameters of carbon band)	
项目 project	规格 specifications
材质 material quality	通用混合基 General Mixed Base
颜色 pigment	黑色 black
基膜厚度 basement membrane thickness	4.3 ± 0.3 μm
碳带厚度 Carbon Zone Thickness	7.2 ± 0.5 μm
油墨熔点 Ink melting point	75°C
色密度 colour density	≥ 2.0
打印速度 print out rate	2-8 IPS
热敏感度 Thermal sensitivity	4
耐热性能 resistance to effect of heat	3.5
耐摩擦性 Friction resistance	3.5
耐溶剂性 resistance to solvent	2.5
标签适用性 Labelling Applicability	5
使用环境 Use environment	5°C ~ 35°C, 20% ~ 85%RH
存贮环境 Storage environment	-5°C ~ 40°C, 20% ~ 85%RH

